

ISSN 1598-2092  
eISSN 2093-4718

Volume 24 • Number 1 • January 2024

# **JPE** **JOURNAL OF** **POWER ELECTRONICS**



 **THE KOREAN INSTITUTE OF  
POWER ELECTRONICS**

 **Springer**

# Journal of Power Electronics

## Editor-in-Chief

**Kyo-Beum Lee**, Ajou University, Suwon, Korea

## Editors

**Wook-Jin Lee**, *Publication Editor*, Chungnam National University, Daejeon, Korea

**Young-Doo Yoon**, *Publication Editor*, Hanyang University, Seoul, Korea

**Sung-Jin Choi**, University of Ulsan, Ulsan, Korea

**Je-Hoon Jung**, UNIST, Ulsan, Korea

## Associate Editors

**Dukju Ahn**, Incheon National University, Incheon, Korea

**Seon-Ju Ahn**, Chonnam National University, Daejeon, Korea

**Jong-Bok Baek**, Korea Institute of Energy Research, Daejeon, Korea

**Honnyong Cha**, Kyungpook National University, Daegu, Korea

**Wu Chen**, Southeast University, Nanjing, China

**Chun-An Cheng**, I-Shou University, Kaohsiung, Taiwan

**Younghoon Cho**, Konkuk University, Seoul, Korea

**Uimin Choi**, Seoul National University of Science and Technology, Seoul, Korea

**Pooya Davari**, Aalborg University, Aalborg, Denmark

**Anton Dianov**, Samsung Electronics, Suwon, Korea

**Xiaoqiang Guo**, Yanshan University, Qinhuangdao, China

**Zhiqiang Guo**, Beijing Institute of Technology, Beijing, China

**Peng Han**, Ansys, Inc, San Jose, USA

**Seon-Hwan Hwang**, Kyungnam University, Changwon, Korea

**Byungtaek Kim**, Kunsan National University, Gunsan, Korea

**Jonghoon Kim**, Chungnam National University, Daejeon, Korea

**Sungmin Kim**, Hanyang University, ERICA Campus, Ansan, Korea

**Sangshin Kwak**, Chung-ang University, Seoul, Korea

**Byoung-Hee Lee**, Hanbat National University, Daejeon, Korea

**Dong-Hee Lee**, Kyungsung University, Busan, Korea

**June-Seok Lee**, Dankook University, Cheonan, Korea

**Kibok Lee**, Korea University, Seoul, Korea

**Seongjun Lee**, Chosun University, Gwangju, Korea

**Xiao Li**, Beihang University, Beijing, China

**Fuxin Liu**, Nanjing University of Aeronautics and Astronautics, Nanjing, China

**Jianxing Liu**, Harbin Institute of Technology, Harbin, China

**Saad Mekhilef**, University of Malaya, Kuala Lumpur, Malaysia

**Jinyeong Moon**, Florida State University, Tallahassee, USA

**Minh-Khai Nguyen**, Ho Chi Minh City University of Technology and Education, Ho Chi Minh City, Vietnam

**Joung-Hu Park**, Soongsil University, Seoul, Korea

**N. Prabaharan**, SASTRA Deemed University, Thanjavur, India

**Subham Sahoo**, Aalborg University, Aalborg, Denmark

**Ariya Sangwongwanich**, Aalborg University, Aalborg, Denmark

**Gab-Su Seo**, Power Systems Engineering Center, National Renewable Energy Laboratory, Golden, USA

**Jongwon Shin**, Chung-Ang University, Seoul, Korea

**Kai Song**, Harbin Institute of Technology, Harbin, China

**Kai Sun**, Tsinghua University, Beijing, China

**Xiaodong Sun**, Jiangsu University, Zhenjiang, China

**Gaolin Wang**, Harbin Institute of Technology, Harbin, China

**Hongfei Wu**, Nanjing University of Aeronautics and Astronautics, Nanjing, China

**Kang-Hyun Yi**, Daegu University, Gyeongsan, Korea

**Zhonggang Yin**, Xi'an University of Technology, Xi'an, China

**Sang-Won Yoon**, Seoul National University, Seoul, Korea

**Liqiang Yuan**, Tsinghua University, Beijing, China

**Guoqiang Zhang**, Harbin Institute of Technology, Harbin, China

**Li Zhang**, Hohai University, Nanjing, China

**Yongchang Zhang**, North China University of Technology, Beijing, China

**Yun Zhang**, Tianjin University, Tianjin, China

## Advisory Board

**Subhashish Bhattacharya**, North Carolina State University, North Carolina, USA

**Frede Blaabjerg**, Aalborg University, Aalborg, Denmark

**Dushan Boroyevich**, Virginia Polytechnic Institute and State University, Blacksburg, USA

**Liuchen Chang**, University of New Brunswick, New Brunswick, Canada

**Po-Tai Cheng**, National Tsing Hua University, Hsinchu, Taiwan

**Bo-Hyung Cho**, Seoul National University, Seoul, Korea

**Jaeho Choi**, Chungbuk National University, Cheongju, Korea

**Ilhami Colak**, Nisantasi University, Istanbul, Turkey

**Jung-Ik Ha**, Seoul National University, Seoul, Korea

**Dong-Seok Hyun**, Hanyang University, Seoul, Korea

**Atsuo Kawamura**, Yokohama National University, Yokohama, Japan

**Marian P. Kazmierkowski**, Warsaw University of Technology, Warsaw, Poland

**Ralph Kennel**, Technical University of Munchen, Munchen, Germany

**Johan W. Kolar**, Swiss Federal Institute of Tech., Zurich, Switzerland

**Fujio Kurokawa**, Nagasaki Institute of Applied Science, Nagasaki, Japan

**Dong-Choon Lee**, Yeungnam University, Gyeongsan, Korea

**Tsorn-Juu Liang**, National Cheng-Kung University, Tainan City, Taiwan

**Jinjun Liu**, Xi'an Jiaotong University, Xi'an, China

**Sanjib Kumar Panda**, National University of Singapore, Singapore

**Fang Z. Peng**, Florida State University, Tallahassee, FL, USA

**John Shen**, Illinois Institute of Technology, Chicago, USA

**Toshihisa Shimizu**, Tokyo Metropolitan University, Tokyo, Japan

**Seung-Ki Sul**, Seoul National University, Seoul, Korea

**Jian Sun**, Rensselaer Polytechnic Institute, New York, USA

**Pat Wheeler**, University of Nottingham, Nottingham, UK

**Dehong Xu**, Zhejiang University, Hangzhou, China

## Managing Editor

**Sejin Jung**, The Korean Institute of Power Electronics Administrative Office, Seoul, Korea

# Journal of Power Electronics

## Aims and Scope

The *Journal of Power Electronics (JPE)* publishes papers of a high technical standard with a suitable balance of practice and theory. It covers a wide range of applications and apparatus in the power electronics field. The scope of the JPE includes the following:

- Low Power Converter
- High Power Converters
- Motor Drives
- Grid and Power Quality
- Energy Management Systems
- Devices and Components
- Consumer Power Electronics
- Emerging Power Electronics

The official abbreviation is *J. Power Electron.*

## Copyright Information

### For Authors

As soon as an article is accepted for publication, authors will be requested to assign copyright of the article (or to grant exclusive publication and dissemination rights) to the publisher (respective the owner if other than Springer Nature). This will ensure the widest possible protection and dissemination of information under copyright laws.

More information about copyright regulations for this journal is available at [www.springer.com/43236](http://www.springer.com/43236)

### For Readers

While the advice and information in this journal is believed to be true and accurate at the date of its publication, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may have been made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints),

as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, on video disks, etc., without first obtaining written permission from the publisher (respective the copyright owner if other than Springer Nature). The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

Springer Nature has partnered with Copyright Clearance Center's RightsLink service to offer a variety of options for reusing Springer Nature content. For permission to reuse our content please locate the material that you wish to use on [link.springer.com](http://link.springer.com) or on [springerimages.com](http://springerimages.com) and click on the permissions link or go to [copyright.com](http://copyright.com) and enter the title of the publication that you wish to use. For assistance in placing a permission request, Copyright Clearance Center can be contacted directly via phone: +1-855-239-3415, fax: +1-978-646-8600, or e-mail: [info@copyright.com](mailto:info@copyright.com)

© The Korean Institute of Power Electronics 2024

## Journal Website

[www.jpels.org](http://www.jpels.org)

[www.springer.com/43236](http://www.springer.com/43236)

For the actual version of record please always check the online version of the publication.

## Subscription Information

*Journal of Power Electronics* is published every month (12 times per year). Volume 24 (12 issues) will be published in 2024.

ISSN: 1598-2092 print

ISSN: 2093-4718 electronic

For information on subscription rates please contact Springer Nature Customer Service Center: [customerservice@springernature.com](mailto:customerservice@springernature.com)

The Americas (North, South, Central America and the Caribbean)  
Springer Nature Journal Fulfillment  
Harborside Plaza II, 200 Hudson Street,  
Jersey City, NJ 07302, USA  
Tel.: 800-SPRINGER (777-4643);  
212-460-1500 (outside North America)

Outside the Americas  
Springer Nature Customer Service Center  
GmbH, Tiergartenstraße 15,  
69121 Heidelberg, Germany  
Tel.: +49-6221-345-4303

## Advertisements

E-mail contact: [anzeigen@springer.com](mailto:anzeigen@springer.com)

## Disclaimer

Springer Nature publishes advertisements in this journal in reliance upon the responsibility of the advertiser to comply with all legal requirements relating to the marketing and sale of products or services advertised. Springer Nature and the editors are not responsible for claims made in the advertisements published in the journal. The appearance of advertisements in Springer Nature publications does not constitute endorsement, implied or intended, of the product advertised or the claims made for it by the advertiser.

## Office of Publication

Springer Nature Singapore Pte Ltd. /  
Springer Singapore

Springer is part of  
Springer Science+Business Media

## Funding

This work was supported by the Korean Federation of Science and Technology Societies Grant funded by the Korean Government (Ministry of Education)

## Co-Publisher

The Korean Institute of Power Electronics

### LOW POWER CONVERTERS

#### **Automatic resonant frequency tracking for DCX-LLC based on magnetizing current cancellation**

C. Gu · Q. Qian · D. Xu · T. Tan 1

#### **Fundamental impedance-based digital synchronous rectification scheme for bidirectional CLLC resonant converters**

G. Zhang · X. Sun · H. Wang · Y. Liu · H. Tao · L. Huang 9

#### **Asymmetrical PWM split-phase boost PWM AC-AC converter with inherent output voltage balancing**

V.-D. Bui · H. Cha 20

### HIGH POWER CONVERTERS

#### **Cockcroft–Walton voltage multiplier-based argon vacuum gauge for high-temperature applications**

P.N. Sidhartha · T.V. Kusur · S. Sharma · K.N. Chappanda 32

#### **Hybrid four-quadrant DC–DC converter for DC wind farm collection systems**

C. Wang · H. Wang · T. Zhang 42

### MOTOR DRIVES

#### **Fast sensorless startup method for ultra-high-speed PMSMs with air bearings**

A. Sheianov · X. Xiao 55

#### **Multi-amplitude voltage vector MPTC for dual three-phase PMSMs with low torque ripple**

S. Wang · Q. Zhang · D. Wu · J. Zhao 68

### GRID AND POWER QUALITY

#### **Remaining useful life prediction of circuit breaker operating mechanisms based on wavelet-enhanced dual-tree residual networks**

T. Wu · Y. Yao · Z. Li · B. Chen · Y. Wu · W. Sun 78

### ENERGY MANAGEMENT SYSTEMS

#### **Bus voltage control of residential PV–HESS–grids using multimodal simplification**

L. Cheng · B. Yang · C. Yang · Y. Hong 92

### DEVICES AND COMPONENTS

#### **Electromagnetic performance analysis of connected double-modulated axial magnetic gear embedded H-shaped pole shoes for generators**

B. Zhang · J. Wang · R. Mo 106

#### **Complete loss distribution model of GaN HEMTs considering the influence of parasitic parameters**

S. Gao · J. Tian · X. Fu · Y. Li · B. Wang · L. Zhao 119

### CONSUMER POWER ELECTRONICS

#### **Open-circuit fault diagnosis of three-phase PWM rectifier circuits based on transient characteristics and random forest classification**

R. Shan · J. Yang · S. Huang 130

#### **Dynamic characteristic improvement of battery chargers for personal mobility devices using sliding mode control**

J. Choi · Y. Bak 140

### EMERGING POWER ELECTRONICS

#### **Hybrid DC circuit breaker with reduced fault isolation time and current limiting capability**

Q. Chen · B. Li · L. Yin · J. Zheng · Z. Duan · Y. Liu 147

#### **Real-time grid parameter estimation with grid-forming converters for robust synchronous power control**

S. Zhao · S.-K. Sul 159

**Further articles** can be found at [link.springer.com](https://link.springer.com)

**Indexed** in *Astrophysics Data System (ADS)*, *BFI List*, *Baidu*, *CLOCKSS*, *CNKI*, *CNPIEC*, *Dimensions*, *EBSCO Academic Search*, *EBSCO Discovery Service*, *El Compendex*, *Google Scholar*, *Journal Citation Reports/ Science Edition*, *Korea Citation Index (KCI)*, *Naver*, *Norwegian Register for Scientific Journals and Series*, *OCLC WorldCat Discovery Service*, *Portico*, *ProQuest-ExLibris Primo*, *ProQuest-ExLibris Summon*, *SCLmago*, *SCOPUS*, *Science Citation Index Expanded (SCIE)*, *TD Net Discovery Service*, *UGC-CARE List (India)*, *WTI AG*, *Wanfang*

**Instructions for Authors** for *J. Power Electron.* are available at [www.springer.com/43236](https://www.springer.com/43236)

## Table of Contents

Journal of Power Electronics Vol. 24, No. 1 January 2024

### Low Power Converters

|                                                                                                                       |                                                                         |    |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|
| Automatic resonant frequency tracking for DCX-LLC based on magnetizing current cancellation .....                     | Cheng Gu, Qinsong Qian, Dalin Xu, Tianhao Tan                           | 1  |
| Fundamental impedance-based digital synchronous rectification scheme for bidirectional CLLC resonant converters ..... | Guopeng Zhang, Xindi Sun, Hao Wang, Yonghui Liu, Haijun Tao, Lulu Huang | 9  |
| Asymmetrical PWM split-phase boost PWM AC-AC converter with inherent output voltage balancing .....                   | Van-Dai Bui, Honnyong Cha                                               | 20 |

### High Power Converters

|                                                                                                      |                                                                        |    |
|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----|
| Cockcroft-Walton voltage multiplier-based argon vacuum gauge for high-temperature applications ..... | P. N. Sidhartha, Tejus V. Kusur, Sarda Sharma, Karumbaiah N. Chappanda | 32 |
| Hybrid four-quadrant DC-DC converter for DC wind farm collection systems .....                       | Cheng Wang, Hui Wang, Tao Zhang                                        | 42 |

### Motor Drives

|                                                                                             |                                                     |    |
|---------------------------------------------------------------------------------------------|-----------------------------------------------------|----|
| Fast sensorless startup method for ultra-high-speed PMSMs with air bearings .....           | Aleksandr Sheianov, Xi Xiao                         | 55 |
| Multi-amplitude voltage vector MPTC for dual three-phase PMSMs with low torque ripple ..... | Shuang Wang, Qianru Zhang, Deliang Wu, Jianfei Zhao | 68 |

### Grid and Power Quality

|                                                                                                                                      |                                                                     |    |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|----|
| Remaining useful life prediction of circuit breaker operating mechanisms based on wavelet-enhanced dual-tree residual networks ..... | Tailong Wu, Yuan Yao, Zhihao Li, Binqiang Chen, Yue Wu, Weifang Sun | 78 |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|----|

### Energy Management Systems

|                                                                                        |                                               |    |
|----------------------------------------------------------------------------------------|-----------------------------------------------|----|
| Bus voltage control of residential PV-HESS-grids using multimodal simplification ..... | Long Cheng, Baoshun Yang, Chao Yang, Yan Hong | 92 |
|----------------------------------------------------------------------------------------|-----------------------------------------------|----|

### Devices and Components

|                                                                                                                                          |                                                                        |     |
|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|-----|
| Electromagnetic performance analysis of connected double-modulated axial magnetic gear embedded H-shaped pole shoes for generators ..... | Bin Zhang, Jungang Wang, Ruina Mo                                      | 106 |
| Complete loss distribution model of GaN HEMTs considering the influence of parasitic parameters .....                                    | Shengwei Gao, Jinrui Tian, Xiaoyu Fu, Yongxiao Li, Bo Wang, Lixia Zhao | 119 |

### Consumer Power Electronics

|                                                                                                                                              |                                           |     |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-----|
| Open-circuit fault diagnosis of three-phase PWM rectifier circuits based on transient characteristics and random forest classification ..... | RenZhong Shan, JingBo Yang, ShengLi Huang | 130 |
| Dynamic characteristic improvement of battery chargers for personal mobility devices using sliding mode control .....                        | Junhyeok Choi, Yeongsu Bak                | 140 |

### Emerging Power Electronics

|                                                                                                             |                                                                             |     |
|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----|
| Hybrid DC circuit breaker with reduced fault isolation time and current limiting capability .....           | Qichao Chen, Bingkun Li, Laicheng Yin, Junyuan Zheng, Zhaoyu Duan, Yiqi Liu | 147 |
| Real-time grid parameter estimation with grid-forming converters for robust synchronous power control ..... | Shanshan Zhao, Seung-Ki Sul                                                 | 159 |