

ISSN 1598-2092
eISSN 2093-4718

Volume 22 • Number 2 • February 2022

JPE **JOURNAL OF** **POWER ELECTRONICS**



THE KOREAN INSTITUTE OF
POWER ELECTRONICS

 Springer

Journal of Power Electronics

Editor-in-Chief

Kyo-Beum Lee, Ajou University, Suwon, Korea

Editors

Wook-Jin Lee, *Publication Editor*, Chungnam National University, Daejeon, Korea

Young-Doo Yoon, *Publication Editor*, Hanyang University, Seoul, Korea

Sung-Jin Choi, University of Ulsan, Ulsan, Korea

Jee-Hoon Jung, UNIST, Ulsan, Korea

Associate Editors

Dukju Ahn, Incheon National University, Incheon, Korea

Seon-Ju Ahn, Chonnam National University, Daejeon, Korea

Jong-Bok Baek, Korea Institute of Energy Research, Daejeon, Korea

Kaushik Basu, Indian Institute of Science, Bengaluru, India

Honnyong Cha, Kyungpook National University, Daegu, Korea

Wu Chen, Southeast University, Nanjing, China

Chun-An Cheng, I-Shou University, Kaohsiung, Taiwan

Younghoon Cho, Konkuk University, Seoul, Korea

Uimin Choi, Seoul National University of Science and Technology, Seoul, Korea

Pooya Davari, Aalborg University, Aalborg, Denmark

Anton Dianov, Samsung Electronics, Suwon, Korea

Xiaoqiang Guo, Yanshan University, Qinhuangdao, China

Zhiqiang Guo, Beijing Institute of Technology, Beijing, China

Peng Han, Ansys, Inc, San Jose, USA

Seon-Hwan Hwang, Kyungnam University, Changwon, Korea

Mehrdad Ahmadi Kamarposhti, Islamic Azad University, Jouybar, Iran

Byungtaek Kim, Kunsan National University, Gunsan, Korea

Jaehong Kim, Chosun University, Gwangju, Korea

Jonghoon Kim, Chungnam National University, Daejeon, Korea

Sungmin Kim, Hanyang University, ERICA Campus, Ansan, Korea

Sangshin Kwak, Chung-ang University, Seoul, Korea

Byoung-Hee Lee, Hanbat National University, Daejeon, Korea

Dong-Hee Lee, Kyungsung University, Busan, Korea

June-Seok Lee, Dankook University, Cheonan, Korea

Kibok Lee, Inha University, Incheon, Korea

Seongjun Lee, Chosun University, Gwangju, Korea

Fuxin Liu, Nanjing University of Aeronautics and Astronautics, Nanjing, China

Jianxing Liu, Harbin Institute of Technology, Harbin, China

Hao Ma, Zhejiang University, Hangzhou, China

Saad Mekhilef, University of Malaya, Kuala Lumpur, Malaysia

Jinyeong Moon, Florida State University, Tallahassee, USA

Woonki Na, California State University, Fresno, USA

Minh-Khai Nguyen, Ho Chi Minh City University of Technology and Education, Ho Chi Minh City, Vietnam

Joung-Hu Park, Soongsil University, Seoul, Korea

N. Prabakaran, SASTRA Deemed University, Thanjavur, India

Mattia Ricco, Alma Mater Studiorum University of Bologna, Bologna, Italy

Gab-Su Seo, Power Systems Engineering Center, National Renewable Energy Laboratory, Golden, USA

Jongwon Shin, Chung-Ang University, Seoul, Korea

Kai Song, Harbin Institute of Technology, Harbin, China

Kai Sun, Tsinghua University, Beijing, China

Xiaodong Sun, Jiangsu University, Zhenjiang, China

Gaolin Wang, Harbin Institute of Technology, Harbin, China

Wei Wang, Southeast University, Nanjing, China

Yijie Wang, Harbin Institute of Technology, Harbin, China

Zheng Wang, Southeast University, Nanjing, China

Zhongbao Wei, Beijing Institute of Technology, Beijing, China

Huiqing Wen, Xi'an Jiaotong-Liverpool University, Suzhou, China

Hongfei Wu, Nanjing University of Aeronautics and Astronautics, Nanjing, China

Kang-Hyun Yi, Daegu University, Gyeongsan, Korea

Zhonggang Yin, Xi'an University of Technology, Xi'an, China

Sang-Won Yoon, Hanyang University, Seoul, Korea

Liqiang Yuan, Tsinghua University, Beijing, China

Guoqiang Zhang, Harbin Institute of Technology, Harbin, China

Li Zhang, Hohai University, Nanjing, China

Yongchang Zhang, North China University of Technology, Beijing, China

Xueguang Zhang, Harbin Institute of Technology, Harbin, China

Yun Zhang, Tianjin University, Tianjin, China

Advisory Board

Subhashish Bhattacharya, North Carolina State University, North Carolina, USA

Frede Blaabjerg, Aalborg University, Aalborg, Denmark

Dushan Boroyevich, Virginia Polytechnic Institute and State University, Blacksburg, USA

Liuchen Chang, University of New Brunswick, New Brunswick, Canada

Po-Tai Cheng, National Tsing Hua University, Hsinchu, Taiwan

Bo-Hyung Cho, Seoul National University, Seoul, Korea

Jaeho Choi, Chungbuk National University, Cheongju, Korea

Ilhami Colak, Nisantasi University, Istanbul, Turkey

Jung-Ik Ha, Seoul National University, Seoul, Korea

Dong-Seok Hyun, Hanyang University, Seoul, Korea

Atsuo Kawamura, Yokohama National University, Yokohama, Japan

Marian P. Kazmierkowski, Warsaw University of Technology, Warsaw, Poland

Ralph Kennel, Technical University of Munchen, Munchen, Germany

Johan W. Kolar, Swiss Federal Institute of Tech., Zurich, Switzerland

Fujio Kurokawa, Nagasaki Institute of Applied Science, Nagasaki, Japan

Dong-Choon Lee, Yeungnam University, Gyeongsan, Korea

Tsorn-Juu Liang, National Cheng-Kung University, Tainan City, Taiwan

Jinjun Liu, Xi'an Jiaotong University, Xi'an, China

Sanjib Kumar Panda, National University of Singapore, Singapore

Fang Z. Peng, Michigan State University, East Lansing, USA

John Shen, Illinois Institute of Technology, Chicago, USA

Toshihisa Shimizu, Tokyo Metropolitan University, Tokyo, Japan

Seung-Ki Sul, Seoul National University, Seoul, Korea

Jian Sun, Rensselaer Polytechnic Institute, New York, USA

Pat Wheeler, University of Nottingham, Nottingham, UK

Dehong Xu, Zhejiang University, Hangzhou, China

Managing Editor

Sejin Jung, The Korean Institute of Power Electronics Administrative Office, Seoul, Korea

Journal of Power Electronics

Aims and Scope

The *Journal of Power Electronics (JPE)* publishes papers of a high technical standard with a suitable balance of practice and theory. It covers a wide range of applications and apparatus in the power electronics field. The scope of the JPE includes the following:

- Low Power Converter
- High Power Converters
- Motor Drives
- Grid and Power Quality
- Energy Management Systems
- Devices and Components
- Consumer Power Electronics
- Emerging Power Electronics

The official abbreviation is *J. Power Electron.*

Copyright Information

For Authors

As soon as an article is accepted for publication, authors will be requested to assign copyright of the article (or to grant exclusive publication and dissemination rights) to the publisher (respective the owner if other than Springer Nature). This will ensure the widest possible protection and dissemination of information under copyright laws.

More information about copyright regulations for this journal is available at www.springer.com/43236

For Readers

While the advice and information in this journal is believed to be true and accurate at the date of its publication, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may have been made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints),

as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, on video disks, etc., without first obtaining written permission from the publisher (respective the copyright owner if other than Springer Nature). The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

Springer Nature has partnered with Copyright Clearance Center's RightsLink service to offer a variety of options for reusing Springer Nature content. For permission to reuse our content please locate the material that you wish to use on link.springer.com or on springerimages.com and click on the permissions link or go to copyright.com and enter the title of the publication that you wish to use. For assistance in placing a permission request, Copyright Clearance Center can be contacted directly via phone: +1-855-239-3415, fax: +1-978-646-8600, or e-mail: info@copyright.com

© The Korean Institute of Power Electronics 2022

Journal Website

www.jpels.org

www.springer.com/43236

For the actual version of record please always check the online version of the publication.

Subscription Information

Journal of Power Electronics is published every month (12 times per year). Volume 22 (12 issues) will be published in 2022.

ISSN: 1598-2092 print

ISSN: 2093-4718 electronic

For information on subscription rates please contact Springer Nature Customer Service Center: customerservice@springernature.com

The Americas (North, South, Central America and the Caribbean)
Springer Nature Journal Fulfillment
Harborside Plaza II, 200 Hudson Street,
Jersey City, NJ 07302, USA
Tel.: 800-SPRINGER (777-4643);
212-460-1500 (outside North America)

Outside the Americas
Springer Nature Customer Service Center
GmbH, Tiergartenstraße 15,
69121 Heidelberg, Germany
Tel.: +49-6221-345-4303

Advertisements

E-mail contact: anzeigen@springer.com

Disclaimer

Springer Nature publishes advertisements in this journal in reliance upon the responsibility of the advertiser to comply with all legal requirements relating to the marketing and sale of products or services advertised. Springer Nature and the editors are not responsible for claims made in the advertisements published in the journal. The appearance of advertisements in Springer Nature publications does not constitute endorsement, implied or intended, of the product advertised or the claims made for it by the advertiser.

Office of Publication

Springer Nature Singapore Pte Ltd. /
Springer Singapore

Springer is part of
Springer Science+Business Media

Funding

This work was supported by the Korean Federation of Science and Technology Societies Grant funded by the Korean Government (Ministry of Education)

Co-Publisher

The Korean Institute of Power Electronics

LOW POWER CONVERTERS

A novel smooth switching control strategy for multiple photovoltaic converters in DC microgrids

Q. Zhang · W. Hu · Y. Liu · H. Zhang · H. Wang 163

Active damping strategy with differential feedback of grid-side inductor voltage for LCL-filtered grid-connected inverters

M. Li · H.F. Xiao · M. Cheng 176

HIGH POWER CONVERTERS

Short circuit fault-tolerant LCC-S wireless power transfer system

X. Han · Y. Hou · C. Jiang · Y. Ye 187

Auxiliary resonant commutated pole soft-switching inverter with simple topology

E. Chu · T. Zhang · Z. Wang 198

MRAS-based current estimator for DC–DC converters considering time-variant load impedance

S.K. Singh · C.S. Matwankar · M. Jee · A. Alam 210

MOTOR DRIVES

Improved duty cycle modulation direct torque control for dual three-phase PMSM with voltage vector online optimization

K. Zhang · L. Quan · G. Liu 222

Bipolar modulation of brushless DC motor with integrated control of motoring and regenerative braking

P. Fan · R. Ma · Y. Zhang · Z. Dang · T. Li 234

Unified coordinated control strategy for two parallel inverters TPOW-PMSM system

H. Zhang · S. Zhu · D. Jin · A. Wang · J. Jiang · L. Yu 243

Position and speed estimation for high speed permanent magnet synchronous motors using wideband synchronous fundamental-frequency extraction filters

J. Song · H. Wang · C. Zhang · W. Liu · Y. Shen 254

Open-circuit fault diagnosis for OEW-PMSM drives based on finite-control-set model predictive control

T. Li · G. Du · Y. Lei · S. Chen 266

Phase current sensing technique for two-phase three-leg inverters using three shunt resistors

D.-K. Kim 277

GRID AND POWER QUALITY

Low-capacitance cascaded H-bridge STATCOM for full power operation

Y. Yuan · J. Zhou · Y. Zhang · X. Zhao · G. Xu 287

ENERGY MANAGEMENT SYSTEMS

Equalizing charger based on multi-windings transformer and voltage-doubler rectifiers

C. Wu · H. Zhang · S. Li · Z. Li · J. Kan 297

An adaptive nonlinear droop control for accurate load current sharing and DC bus voltage compensation in a DC power system

X. Tian · Y. Wang · F. Wang · Z. Guo 308

Joint estimation of state of charge and state of health of lithium-ion battery based on fractional order model

Y. Xu · B. Hu · T. Wu · T. Xiao 318

DEVICES AND COMPONENTS

Boost converter design for ferrite core compatible with strong magnetic fields

B. Bai · X. Zhou 331

Magnetic integrated LCL filter design for a 2.5 kW three-phase grid-connected inverter with double closed-loop control

F. Chen · S. Jiang · D. Jin · Z. Mei 338

EMERGING POWER ELECTRONICS

Dual-mode control strategy based on DC-bus voltage for dual-active bridge converter in marine electromagnetic transmitter system

H. Tao · C. Du · G. Zhang · Z. Zheng 351

High-efficiency 11 kW bi-directional on-board charger for EVs

S.-Y. Lee · W.-S. Lee · J.-Y. Lee · I.-O. Lee 363

A snapback-free reverse-conducting IGBT with multiple extraction channels

W. Chen · X. Lin · S. Li · Y. Huang · Y. Huang · Z. Han 377

CORRECTION

Correction to: Novel L-R modulation resonant converter with wide output range and low output voltage ripple

Y. Yuan · C. Yi · N. Peng 383

Further articles can be found at link.springer.com

Indexed in *Astrophysics Data System (ADS)*, *EBSCO Discovery Service*, *El Compendex*, *Google Scholar*, *Institute of Scientific and Technical Information of China*, *Journal Citation Reports/Science Edition*, *Naver*, *OCLC WorldCat Discovery Service*, *ProQuest-ExLibris Primo*, *ProQuest-ExLibris Summon*, *SCImago*, *SCOPUS*, *Science Citation Index Expanded (SciSearch)*, *TD Net Discovery Service*, *UGC-CARE List (India)*

Instructions for Authors for *J. Power Electron.* are available at www.springer.com/43236

Table of Contents

Journal of Power Electronics Vol. 22, No. 2 February 2022

Low Power Converters

| | |
|--|-----|
| A novel smooth switching control strategy for multiple photovoltaic converters in DC microgrids | |
| Qinjin Zhang, Wangbao Hu, Yancheng Liu, Hanwen Zhang, Honglai Wang | 163 |
| Active damping strategy with differential feedback of grid-side inductor voltage for LCL-filtered grid-connected inverters | |
| Mingming Li, Hua F. Xiao, Ming Cheng | 176 |

High Power Converters

| | |
|---|-----|
| Short circuit fault-tolerant LCC-S wireless power transfer system | |
| Xuelong Han, Yinyin Hou, Chundi Jiang, Yinzong Ye | 187 |
| Auxiliary resonant commutated pole soft-switching inverter with simple topology | |
| Enhui Chu, Tianyu Zhang, Zhiyong Wang | 198 |
| MRAS-based current estimator for DC–DC converters considering time-variant load impedance | |
| Shubham Kumar Singh, Chetan S. Matwankar, Manan Jee, Aftab Alam | 210 |

Motor Drives

| | |
|--|-----|
| Improved duty cycle modulation direct torque control for dual three-phase PMSM with voltage vector online optimization | |
| Kai Zhang, Li Quan, Gai Liu | 222 |
| Bipolar modulation of brushless DC motor with integrated control of motoring and regenerative braking | |
| Ping Fan, Ruiqing Ma, Yuchen Zhang, Zhiqian Dang, Tianxing Li | 234 |
| Unified coordinated control strategy for two parallel inverters TPOW-PMSM system | |
| Housheng Zhang, Shengjie Zhu, Duo Jin, Ao Wang, Junjie Jiang, Lanlan Yu | 243 |
| Position and speed estimation for high speed permanent magnet synchronous motors using wideband synchronous fundamental-frequency extraction filters | |
| Jie Song, Huizhen Wang, Chunjuan Zhang, Weifeng Liu, Yirong Shen | 254 |
| Open-circuit fault diagnosis for OEW-PMSM drives based on finite-control-set model predictive control | |
| Tuhuan Li, Guiping Du, Yanxiong Lei, Siqiang Chen | 266 |
| Phase current sensing technique for two-phase three-leg inverters using three shunt resistors | |
| Dong-Ki Kim | 277 |

Grid and Power Quality

| | |
|--|-----|
| Low-capacitance cascaded H-bridge STATCOM for full power operation | |
| Yalei Yuan, Juan Zhou, Yonglei Zhang, Xiangkun Zhao, Gaoxiang Xu | 287 |

Energy Management Systems

| | |
|---|-----|
| Equalizing charger based on multi-windings transformer and voltage-doubler rectifiers | |
| Chao Wu, Hong-kai Zhang, Shan-shou Li, Zheng-fei Li, Jia-rong Kan | 297 |

| | | |
|--|---|-----|
| An adaptive nonlinear droop control for accurate load current sharing and DC bus voltage compensation in a DC power system | Xinna Tian, Yubin Wang, Fan Wang, Zheng Guo | 308 |
| Joint estimation of state of charge and state of health of lithium-ion battery based on fractional order model | Yuanzhong Xu, Bohan Hu, Tiezhou Wu, Tingyi Xiao | 318 |

Devices and Components

| | | |
|--|--|-----|
| Boost converter design for ferrite core compatible with strong magnetic fields | Bing Bai, Xuesong Zhou | 331 |
| Magnetic integrated LCL filter design for a 2.5 kW three-phase grid-connected inverter with double closed-loop control | Feng Chen, Shiqi Jiang, Dianheng Jin, Zhaozhao Mei | 338 |

Emerging Power Electronics

| | | |
|--|--|-----|
| Dual-mode control strategy based on DC-bus voltage for dual-active bridge converter in marine electromagnetic transmitter system | Haijun Tao, Changshun Du, Guopeng Zhang, Zheng Zheng | 351 |
| High-efficiency 11 kW bi-directional on-board charger for Evs | Sang-Youn Lee, Woo-Seok Lee, Jun-Young Lee, Il-Oun Lee | 363 |
| A snapback-free reverse-conducting IGBT with multiple extraction channels | Weizhong Chen, Xuwei Lin, Shun Li, Yao Huang, Yi Huang, Zhengsheng Han | 377 |

Correction

| | | |
|---|------------------------------------|-----|
| Correction to: Novel L-R modulation resonant converter with wide output range and low output voltage ripple | Yisheng Yuan, Chenyu Yi, Neng Peng | 383 |
|---|------------------------------------|-----|