

A Novel Analytical Method for Selective Harmonic Elimination Problem in Five-Level Converters

Farzad Golshan^{*}, Adib Abrishamifar[†], and Mohammad Arasteh^{**}

^{*,†}School of Electrical Engineering, Iran University of Science & Technology, Tehran, Iran

^{**}University of Science and Culture, Tehran, Iran

Abstract

Multilevel converters have attracted a lot of attention in recent years. The efficiency parameters of a multilevel converter such as the switching losses and total harmonic distortion (THD) mainly depend on the modulation strategy used to control the converter. Among all of the modulation techniques, the selective harmonic elimination (SHE) method is particularly suitable for high-power applications due to its low switching frequency and high quality output voltage. This paper proposes a new expression for the SHE problem in five-level converters. Based on this new expression, a simple analytical method is introduced to determine the feasible modulation index intervals and to calculate the exact value of the switching angles. For each selected harmonic, this method presents three-level or five-level waveforms according to the value of the modulation index. Furthermore, a flowchart is proposed for the real-time implementation of this analytical method, which can be performed by a simple processor and without the need of any lookup table. The performance of the proposed algorithm is evaluated with several simulation and experimental results for a single phase five-level diode-clamped inverter.

Key words: Diode-clamped inverter, Modulation techniques, Multilevel converters, Real time implementation, Selective harmonic elimination (SHE)

I. INTRODUCTION

Nowadays, the use of multilevel converters is popular in medium-voltage medium-power applications such as medium-voltage drives [1], flexible AC transmission systems (FACTS) [2], and grid-connected photovoltaic systems [3]. Compared with two level converters, multilevel converters have more benefits. For instance, they can work at lower switching frequencies, they have lower switching losses and lower switching stresses across the switching devices [4]-[6].

Several modulation and control techniques have been proposed for multilevel converters including sinusoidal PWM (SPWM) [7]-[9], space vector modulation (SVM) [10]-[12], and selective harmonic elimination (SHE) [13].

The switching frequency must be kept low in high power and efficient applications because the switching losses are directly proportional to the switching frequency. The most

popular and simple low frequency switching modulation technique for multilevel converters is selective harmonic elimination (SHE).

The aim of this method is to determine the switching angles in a manner that eliminates low order harmonics. A fundamental problem of SHE method is to obtain the arithmetic solution of nonlinear transcendental equations which contain trigonometric terms and naturally present multiple solutions [13]-[16].

Several algorithms have been suggested in the literature to solve SHE trigonometric equations. In [17], [18], iterative numerical techniques such as the Newton-Raphson method have been implemented to solve SHE equations while producing only one solution set. Furthermore, these techniques may get trapped in a local optima and require a proper initial guess. In [19], [20], the resultant theory has been suggested to solve SHE equations. In this technique, SHE transcendental equations are converted into an equivalent set of polynomial equations. The order of the polynomials is proportional to the number of switching angles. Hence, increasing the number of switching angles makes the degree of the polynomial extremely large. A stochastic optimization technique based on

Manuscript received Nov. 23, 2016; accepted Mar. 8, 2017

Recommended for publication by Associate Editor Yun Zhang.

[†]Corresponding Author: abrishamifar@iust.ac.ir

Tel: +9821-77-240-492, Fax: +9821-77-240-490, IUST

^{*}School of Electrical Engineering, Iran Univ. of Sci. & Tech., Iran

^{**}University of Science and Culture, Iran

Genetic Algorithm (GA) was proposed for computing switching angles in [14], [21]. Proper selection of effective parameters such as population size, mutation rate, etc. is necessary. Consequently, its implementation is difficult for a high number of levels [13], [14]. Another optimization technique is the Particle Swarm Optimization (PSO) approach which was developed to deal with the SHE problem in [22], [23]. In comparison with GA, this technique has the benefit of a high rate of convergence and precision. However, both techniques may become trapped in local optima. The bee algorithm [24] and the ant colony algorithm [25] are other optimization techniques that have been used to optimize the cost functions for providing solutions to the multilevel SHE problem.

Regretfully, there is no analytical method to solve SHE transcendental equations for n -level converters. However, a new analytical method has recently been introduced in [26] for five-level converters which is able to calculate the exact amount of switching angles for the elimination of each selected harmonic. The authors assume that the scheme of the output voltage waveform is always staircase similar to Fig. 1. However, there is another possible switching scheme which may work over different ranges of the modulation index.

In this paper, a new expression for the SHE problem in five-level converters has been introduced. It can explain three-level and five-level waveforms with two switching angles through a single formulation. Furthermore, the analytical procedure for determining feasible modulation index intervals and all possible sets of solutions is presented based on the proposed expression. Using this technique, the exact value of switching angles is calculated easily. For the real-time implementation of this method in microcontrollers or DSPs, a simple flowchart is proposed which does not need any lookup table.

II. STANDARD PROBLEM FORMULATION FOR THE SHE TECHNIQUE IN FIVE-LEVEL CONVERTERS

Fig. 1 shows a staircase voltage waveform synthesized by a $(2N + 1)$ level converter. Using the Fourier series, the stepped multilevel voltage waveform of Fig. 1 can be expressed by (1):

$$v_{out}(\omega t) = \sum_{n=1}^{\infty} V_n^{out} \sin(n\omega t) \quad (1)$$

where n is the harmonic number, and V_n^{out} represents the amplitude of the harmonic order n .

Due to odd quarter wave symmetry, the amplitude for all of the even order harmonics is zero. Since this waveform decomposes to N quasi square waveforms, the amplitude of odd order harmonics is calculated by (2).

$$V_n^{out} = \frac{4V_{DC}}{n\pi} \sum_{i=1}^N \cos(n\theta_i) \quad , \quad n = 1,3,5,7, \dots \quad (2)$$

The following restrictions must be satisfied by the switching




Fig. 1. Output voltage waveform of an n -level converter.

angles [14].

$$0 \leq \theta_1 \leq \theta_2 \leq \dots \leq \theta_N \leq \pi/2 \quad (3)$$

The objective of the SHE problem is to determine the series of switching angles ($\theta_1 - \theta_N$) so that the specified low order harmonics are eliminated, and at the same time, the amplitude of the fundamental harmonic becomes equal to the desired value.

By defining the modulation index M in equation (4), the SHE problem can be formulated by equations (5) where the number of equations should be equal to or less than N [13,14].

$$M = \frac{V_1^{out}}{4NV_{DC}/\pi} \quad (0 \leq M \leq 1) \quad (4)$$

$$\begin{cases} \sum_{i=1}^N \cos(\theta_i) = NM \\ \sum_{i=1}^N \cos(n\theta_i) = 0 \quad n = 3,5,7, \dots \end{cases} \quad (5)$$

For example, for a five-level converter, the output voltage waveform is composed of two quasi square waveforms as shown in Fig. 2. Due to having two switching angles ($N = 2$), the SHE equations should be two or less. In other words, the switching angles (θ_1, θ_2) should be determined to attain the desired amplitude of the fundamental harmonic and to suppress the one selected harmonic. The following equations explain the SHE problem for five-level converters where n is the harmonic order which is going to be eliminated.

$$\begin{cases} \cos(\theta_1) + \cos(\theta_2) = 2M \quad , \quad M = \frac{V_1^{out}}{8V_{DC}/\pi} \\ \cos(n\theta_1) + \cos(n\theta_2) = 0 \end{cases} \quad (6)$$

III. NEW EXPRESSION FOR THE SHE PROBLEM IN FIVE-LEVEL CONVERTERS

In this section, a new expression is proposed for the SHE problem in five-level converters. Consider a quasi-square waveform named base waveform with a switching angle α . As shown in Fig. 3, the output voltage of five-level converter is obtained by subtracting two base waveforms with different




Fig. 2. Output voltage waveform of a five-level converter.




Fig. 3. Output voltage waveform of a five-level converter (new expression, five-level waveform).

phases. In other words, instead of using two quasi-square waveforms with different switching angles (θ_1 and θ_2), as shown in Fig. 2, the output waveform can be provided using two quasi-square waveforms with the same switching angles and different phases.

The fundamental harmonic amplitude of both base waveforms (V_1^{Base}) are determined by (7) which can be adjusted by α .

$$V_1^{Base} = \frac{4V_{DC}}{\pi} \cos(\alpha) \quad (7)$$

In addition, the n^{th} order harmonic amplitude of the base waveforms (V_n^{Base}) can be determined by (8).

$$V_n^{Base} = \frac{4V_{DC}}{n\pi} \cos(n\alpha) \quad (8)$$

The fundamental harmonic amplitude of the output waveform (V_1^{Out}) can be calculated by subtracting the fundamental harmonic waveform of the base waveforms as follows:

$$\begin{aligned} v_1^{Out}(t) &= V_1^{Base} \sin(\omega t) - V_1^{Base} \sin(\omega t - \varphi) \\ \Rightarrow v_1^{Out}(t) &= V_1^{Base} [2 \sin(\varphi/2) \cos(\omega t - \varphi/2)] \end{aligned}$$

$$\Rightarrow V_1^{Out} = \left[\frac{4V_{DC}}{\pi} \cos(\alpha) \right] [2 \sin(\varphi/2)]$$

$$\Rightarrow V_1^{Out} = \frac{8V_{DC}}{\pi} \cos(\alpha) \sin(\varphi/2)$$

Using equation (4):

$$\cos(\alpha) \sin(\varphi/2) = M \quad (9)$$

Equation (9) shows the dependency of the fundamental harmonic amplitude of the output waveform to the switching angle α and the phase difference φ .

In a similar way, the n^{th} order harmonic amplitude of the output waveform can be written as:

$$v_n^{Out}(t) = V_n^{Base} \sin(n\omega t) - V_n^{Base} \sin[n(\omega t - \varphi)]$$

$$\Rightarrow v_n^{Out}(t) = V_n^{Base} [2 \sin(n\varphi/2) \cos(n\omega t - n\varphi/2)]$$

$$\Rightarrow V_n^{Out} = \left[\frac{4V_{DC}}{n\pi} \cos(n\alpha) \right] [2 \sin(n\varphi/2)]$$

$$\Rightarrow V_n^{Out} = \frac{8V_{DC}}{n\pi} \cos(n\alpha) \sin(n\varphi/2) \quad (10)$$

Equation (10) indicates that the n^{th} order harmonic amplitude of the output voltage can also be adjusted by the switching angle α and the phase difference φ .

According to (9) and (10), the SHE problem for five-level converters is redefined as follows:

$$\begin{cases} \cos(\alpha) \sin(\varphi/2) = M \\ \cos(n\alpha) \sin(n\varphi/2) = 0 \end{cases} \quad (11)$$

where the first equation defines the fundamental voltage magnitude and the second one guarantees to completely eliminate the n^{th} order harmonic [27].

This expression not only generates the usual staircase five-level waveform systematically produces a three-level waveform if $\alpha > \varphi/2$ as shown in Fig. 4. It is noticeable that the SHE problem for both five-level and three-level waveforms is (11). Therefore, this new expression is more generalized than the usual SHE formulation.

IV. ANALYTICAL PROCEDURE FOR MODULATION INDEX INTERVALS

Solving equation (11) compared to solving the standard SHE problem is simpler. To eliminate the desired n^{th} order harmonic, it is enough to choose the phase difference φ according to (12).

$$\sin(n\varphi/2) = 0 \Rightarrow n\varphi/2 = k\pi \Rightarrow \varphi = 2k\pi/n \quad (12)$$

where k is a positive integer and all results less than π are acceptable. For attaining a desired amplitude of the fundamental harmonic, it is adequate to calculate the switching angle α by (13).

$$\cos(\alpha) \sin(\varphi/2) = M \Rightarrow \alpha = \cos^{-1} \left(\frac{M}{\sin(\varphi/2)} \right) \quad (13)$$

According to (13), to obtain a real value for the switching angle α , the modulation index must observe the following restriction.




Fig. 4. Output voltage waveform of a five-level converter (new expression, three-level waveform).

$$0 \leq M \leq \sin(\varphi/2) \quad (14)$$

Based on the value of α and φ , the output waveform may have three or five levels. The border of five-level and three-level waveforms is determined by $\alpha = \varphi/2$. Using (9), the border modulation index (M_{Border}) is calculated by (15).

$$M_{Border} = \cos(\varphi/2) \sin(\varphi/2) \quad (15)$$

Consequently, equation (16) shows the feasible modulation index intervals for three-level and five-level output waveforms for an acceptable phase difference φ .

$$\begin{cases} 0 \leq M \leq \cos(\varphi/2) \sin(\varphi/2) \\ \Rightarrow \text{three-level output waveform} \\ \cos(\varphi/2) \sin(\varphi/2) < M \leq \sin(\varphi/2) \\ \Rightarrow \text{five-level output waveform} \end{cases} \quad (16)$$

In fact, this technique systemically proposes a three-level output waveform scheme for small values of the modulation index contrary to the usual staircase five-level waveform. Using this technique, the minimum value of the modulation index is zero for all conditions [27]. The calculation of the feasible modulation index intervals for the third, fifth, and seventh harmonics are discussed in detail.

A. Modulation Index Intervals for the Elimination of the Third Harmonic ($n=3$)

Using (12).

$$n = 3 \Rightarrow \varphi = 2k\pi/3$$

The only acceptable answer is $\varphi = 2\pi/3$ (by considering that $k = 1$). Under this condition, the feasible modulation index interval for three-level and five-level output waveforms is obtained as follows:

$$\begin{cases} 0 \leq M \leq \cos(\pi/3) \sin(\pi/3) \\ \Rightarrow \text{three-level output waveform} \\ \cos(\pi/3) \sin(\pi/3) < M \leq \sin(\pi/3) \\ \Rightarrow \text{five-level output waveform} \end{cases}$$

$$\Rightarrow \begin{cases} 0 \leq M \leq 0.4330 \\ \Rightarrow \text{three-level output waveform} \\ 0.4330 < M \leq 0.8660 \\ \Rightarrow \text{five-level output waveform} \end{cases}$$

B. Modulation Index Intervals for the Elimination of the Fifth Harmonic ($n=5$)

$$n = 5 \Rightarrow \varphi = 2k\pi/5$$

There are two acceptable answers. Therefore, two different switching angles are achieved. Using (16), the feasible modulation index interval for each answer is demonstrated as follows:

$$k = 1 \Rightarrow \varphi' = 2\pi/5$$

$$\Rightarrow \begin{cases} 0 \leq M \leq 0.4755 \\ \Rightarrow \text{three-level output waveform} \\ 0.4755 < M \leq 0.5878 \\ \Rightarrow \text{five-level output waveform} \end{cases}$$

$$k = 2 \Rightarrow \varphi'' = 4\pi/5$$

$$\Rightarrow \begin{cases} 0 \leq M \leq 0.2939 \\ \Rightarrow \text{three-level output waveform} \\ 0.2939 < M \leq 0.9511 \\ \Rightarrow \text{five-level output waveform} \end{cases}$$

C. Modulation Index Intervals for the Elimination of the Seventh Harmonic ($n=7$)

$$n = 7 \Rightarrow \varphi = 2k\pi/7$$

Under this condition, there exist three different acceptable answers. Using (16), the feasible modulation index interval for each answer is calculated as follows:

$$k = 1 \Rightarrow \varphi' = 2\pi/7$$

$$\Rightarrow \begin{cases} 0 \leq M \leq 0.3909 \\ \Rightarrow \text{three-level output waveform} \\ 0.3909 < M \leq 0.4339 \\ \Rightarrow \text{five-level output waveform} \end{cases}$$

$$k = 2 \Rightarrow \varphi'' = 4\pi/7$$

$$\Rightarrow \begin{cases} 0 \leq M \leq 0.4875 \\ \Rightarrow \text{three-level output waveform} \\ 0.4875 < M \leq 0.7818 \\ \Rightarrow \text{five-level output waveform} \end{cases}$$

$$k = 3 \Rightarrow \varphi''' = 6\pi/7$$

$$\Rightarrow \begin{cases} 0 \leq M \leq 0.2169 \\ \Rightarrow \text{three-level output waveform} \\ 0.2169 < M \leq 0.9749 \\ \Rightarrow \text{five-level output waveform} \end{cases}$$

Modulation index intervals for the elimination of the other odd harmonics can be determined by using this technique. Fig. 5 shows all of the acceptable phase differences and their modulation index intervals for each harmonic.

V. ANALYTICAL PROCEDURE FOR CALCULATING SWITCHING ANGLES

Using (12) and (13), it is easy to calculate (α and φ) for




Fig. 5. Acceptable phase differences and their modulation index intervals for: (a) third harmonic, (b) fifth harmonic, (c) seventh harmonic, (d) ninth harmonic, (e) eleventh harmonic, (f) thirteenth harmonic, (g) fifteenth harmonic, (h) seventeenth harmonic.

eliminating each selected harmonic and for any desired modulation index. The unknown parameters in the standard SHE problem are $(\theta_1$ and θ_2) which can be calculated in accordance with $(\alpha$ and $\varphi)$. As shown in Fig. 3, the switching angles $(\theta_1$ and $\theta_2)$ are defined relative to the new origin (point z) whose coordinate is calculated by (17).

$$z = \pi/2 + \varphi/2 \quad (17)$$

Now, it is easy to find the output switching angles:

$$\begin{aligned} \theta_r &= (\pi - \alpha) - z = \pi/2 - \alpha - \varphi/2 \\ \theta'_r &= (\varphi + \alpha) - z = -\pi/2 + \alpha + \varphi/2 \\ \theta_s &= (\pi + \alpha) - z = \pi/2 + \alpha - \varphi/2 \\ \theta'_s &= (\varphi - \alpha) - z = -\pi/2 - \alpha + \varphi/2 \\ \theta_t &= (\varphi + \pi - \alpha) - z = \pi/2 - \alpha + \varphi/2 \end{aligned}$$

Notice that θ'_r is the opposite of θ_r and θ'_s is the opposite of θ_s too. Therefore, all of the switching angles in Fig. 3 are formulated as follows:

$$\begin{cases} \theta_r = |\pi/2 - \alpha - \varphi/2| \\ \theta_s = |\pi/2 + \alpha - \varphi/2| \\ \theta_t = \pi/2 - \alpha + \varphi/2 \end{cases} \quad (18)$$

θ_1 and θ_2 are the ones that are less than $\pi/2$.

Fig. 6 shows the flowchart of this new approach to calculate the switching angles of the SHE problem in five-level converters. This flowchart can be implemented in real time using a simple processor or DSP without the need of lookup table. It is more general and easier than other analytical methods such as the one proposed in [24]. It is




Fig. 6. Flowchart of the proposed algorithm.

noticeable that all of the equations in this flowchart are polynomial except for (13) which can be easily calculated using Taylor series. This makes the proposed algorithm simple and fast.

In brief, the advantages of the proposed method are as follows:

- Determining the exact values of switching angles.
- Avoiding the need to solve complex trigonometric equations using a novel analytical method.
- Determining all possible sets of solutions and the exact boundaries for all valid modulation index intervals.
- Systematically providing three-level schemes to extend the modulation index intervals.
- Easy for real-time implementation.

VI. SIMULATION RESULTS

To investigate the validity of the solutions obtained by the new formulation proposed in this paper, a five-level diode-clamped inverter is simulated in MATLAB/SIMULINK. Fig. 7 shows one leg of a five-level diode-clamped inverter. The characteristics of the converter are as follows:

- Total DC input voltage is 6 kV ($V_{DC} = 1.5$ kV).
- Output frequency is 50Hz.

Several cases are examined in which the selected harmonic is eliminated and the desired fundamental amplitude is achieved.




Fig. 7. One leg of a five-level diode-clamped inverter.




Fig. 8. Elimination of the third harmonic for $M=0.8$, using phase difference of $\varphi = 2\pi/3$ (Simulation results).

Case 1: Elimination of the third harmonic for $M = 0.8$

As shown in Fig. 5(a), only one solution exists and its output waveform has five levels. The output voltage waveform and its FFT spectrum are shown in Fig. 8.

Case 2: Elimination of the seventh harmonic for $M = 0.46$

According to Fig. 5(c), two solutions exist, one for $\varphi = 4\pi/7$ with a three-level output waveform, and the other for $\varphi = 6\pi/7$ with a five-level output waveform. Output voltage waveforms and their FFT spectrums are shown in Fig. 9.

Case 3: Elimination of the thirteenth harmonic for $M = 0.9$

Fig. 10 shows the simulation results of this condition. There exist two acceptable answers for $\varphi = 10\pi/13$ and $\varphi = 12\pi/13$, both of which have a five-level output waveform.

Case 4: Elimination of the seventeenth harmonic for $M = 0.2$

According to Fig. 5(h), there exist seven different solutions. For instance, Fig. 11 shows the simulation results for $\varphi = 4\pi/17$ and $\varphi = 16\pi/17$.




Fig. 9. Elimination of the seventh harmonic for $M=0.46$: (a) $\varphi = 4\pi/7$, (b) $\varphi = 6\pi/7$ (Simulation results).




Fig. 10. Elimination of the thirteenth harmonic for $M=0.9$: (a) $\varphi = 10\pi/13$, (b) $\varphi = 12\pi/13$ (Simulation results).




Fig. 11. Elimination of the seventeenth harmonic for $M=0.2$: (a) $\varphi = 4\pi/17$, (b) $\varphi = 16\pi/17$ (Simulation results).




Fig. 12. Five-level diode clamped inverter prototype.




Fig. 13. Elimination of the third harmonic for $M=0.8$, using a phase difference of $\varphi = 2\pi/3$ (Experimental results).




Fig. 14. Elimination of the seventh harmonic for $M=0.46$: (a) $\varphi = 4\pi/7$, (b) $\varphi = 6\pi/7$ (Experimental results).

VII. EXPERIMENTAL RESULTS

To further verify the validity of the proposed method, a five-level diode-clamped inverter prototype is implemented with an input DC voltage of 600V ($V_{DC} = 150\text{ V}$) and a 50Hz output frequency. The implemented prototype is shown in Fig. 12. The modulation index and switching angles of the




Fig. 15. Elimination of the thirteenth harmonic for $M=0.9$: (a) $\varphi = 10\pi/13$, (b) $\varphi = 12\pi/13$ (Experimental results).

following cases are the same as those employed in the above simulations. The results demonstrate the effectiveness of the proposed SHE method.

Case 1: Elimination of the Third Harmonic for $M = 0.8$

As shown in Fig. 13, the output voltage waveform and its FFT spectrum are similar to those of Fig. 8. The base scales for FFT analysis are $100\text{ V}_{rms}/div$ and $f = 62.5\text{ Hz}/div$.

Case 2: Elimination of the Seventh Harmonic for $M = 0.46$

The output voltage waveform and its FFT spectrum for $\varphi = 4\pi/7$ are shown in Fig. 14(a). The voltage and frequency scales for the FFT analysis are $50\text{ V}_{rms}/div$ and $f = 62.5\text{ Hz}/div$, respectively. For $\varphi = 6\pi/7$, the results are shown in Fig. 14(b) using $100\text{ V}_{rms}/div$ and $f = 62.5\text{ Hz}/div$ for the FFT base scales.

Case 3: Elimination of the Thirteenth Harmonic for $M = 0.9$

Fig. 15 shows the experimental results of this condition. The base scales for both of the FFT analyses are $100\text{ V}_{rms}/div$ and $f = 125\text{ Hz}/div$.

Case 4: Elimination of the seventeenth harmonic for $M = 0.2$

According to Fig. 16, the output waveform for $\varphi = 4\pi/17$ has only three levels and the base scale for its FFT analysis are $50\text{ V}_{rms}/div$ and $f = 62.5\text{ Hz}/div$. However, for $\varphi = 16\pi/17$, the output waveform has five levels and the base scale for its FFT analysis are $100\text{ V}_{rms}/div$ and $f = 62.5\text{ Hz}/div$.

The harmonic amplitudes in the experimental results are not exactly the same as those of the simulations because the switches and other components are not ideal. In addition,




Fig. 16. Elimination of the seventeenth harmonic for $M=0.2$: (a) $\varphi = 4\pi/17$, (b) $\varphi = 16\pi/17$ (Experimental results).

measurement errors make the experimental results not accurate. However, there exists a good adaptation between the simulation and experimental FFT spectrum for all cases.

VIII. COMPARISON OF THE PROPOSED METHOD WITH OTHER METHODS

Numerical and Stochastic Optimization techniques need to have the initial values chosen, and only produce a single solution set. In addition, these techniques may get trapped in a local optima. On the other hand, the proposed method does not need to choose the initial values and is able to find all possible sets of solutions. Furthermore, this method can find the exact value of switching angles and can be implemented in real time as opposed to the aforementioned methods.

Finally, the proposed method in comparison with the analytical method proposed in [26] has more advantages. In [26], the modulation index intervals are calculated just for five-level staircase waveform. However, in the proposed method, a single unique set of equations can determine the modulation index intervals for both three-level and five-level waveforms. Consequently, it can introduce some solutions for the low values of the modulation indices by proposing three-level waveforms as opposed to the method in [26]. In other words, the proposed method extends the feasible modulation index range. In addition, for calculating the switching angles only one trigonometric operation is needed and the other arithmetic operations are sum and subtraction according to Fig. 6. Therefore, the proposed method is simpler than the one presented in [26] which is based on Chebyshev polynomials and Waring formulas.

IX. CONCLUSIONS

In this paper, a new expression for the SHE problem in five-level converters has been introduced, which is based on the phase shift of two identical quasi-square waveforms. Using this new expression leads to a single formulation for both three-level and five-level waveforms with two switching angles, which has the benefits of simplicity. An analytical procedure for determining the feasible modulation index intervals and all possible sets of solutions is presented. Furthermore, the exact values of the switching angles are calculated with a reduced computational burden. For the real-time implementation of this method in microcontrollers or DSPs, a simple flowchart is proposed which does not need any lookup table and can be easily implemented on various types of multilevel converters. Finally, the effectiveness and performance of the proposed method have been verified by various simulation and experimental results.

ACKNOWLEDGMENT

The authors gratefully acknowledge the invaluable support provided by Dr. S. M. Sadegh Mirghafourian and Borna Electronics Company.

REFERENCES

- [1] W. Kawamura, K. L. Chen, M. Hagiwara, and H. Akagi, "A low-Speed, high-Torque motor drive using a modular multilevel cascade converter based on triple-star bridge Cells (MMCC-TSBC)," *IEEE Trans. Ind. Appl.*, Vol. 51, No. 5, pp. 3965-3974, May 2015.
- [2] G. Farivar, B. Hredzak, and V. G. Agelidis, "Decoupled control system for cascaded H-bridge multilevel converter based STATCOM," *IEEE Trans. Ind. Electron.*, Vol. 63, No. 5, pp. 322-331, May 2016.
- [3] Y. Yu, G. Konstantinou, B. Hredzak, and V. G. Agelidis, "Power balance of cascaded H-bridge multilevel converters for large-scale photovoltaic integration," *IEEE Trans. Power Electron.*, Vol. 31, No. 1, pp. 292-303, Jan. 2016.
- [4] S. Kouro, M. Malinowski, K. Gopakumar, J. Pou, L. G. Franquelo, B. Wu, J. Rodriguez, M. A. Perez, and J. I. Leon, "Recent advances and industrial applications of multilevel converters," *IEEE Trans. Ind. Electron.*, Vol. 57, No. 8, pp. 2553-2580, Aug. 2010.
- [5] H. Abu-Rub, J. Holts, J. Rodriguez, and G. Baoming, "Medium voltage multilevel converters, state of the art, challenges and requirements in industrial applications," *IEEE Trans. Ind. Electron.*, Vol. 57, No. 8, pp. 2581-2596, Aug. 2010.
- [6] J. Rodriguez, S. Bernet, P. K. Steimer, I. E. Lizama, "A survey on neutral-point-clamped inverters," *IEEE Trans. Ind. Electron.*, Vol. 57, No. 7, pp. 2219-2230, Jul. 2010.
- [7] F. Sasongko, K. Sekiguchi, K. Oguma, M. Hagiwara, and H. Akagi, "Theory and experiment on an optimal carrier frequency of a modular multilevel Cascade converter with phase-shifted PWM," *IEEE Trans. Power Electron.*, Vol. 31, No. 5, pp. 3456-3471, May 2016.

- [8] Z. Pan, F. Z. Peng, "A sinusoidal PWM method with voltage balancing capability for diode-clamped five-Level converters," *IEEE Trans. Ind. Appl.*, Vol. 45, No. 3, pp. 1028-1034, May/June. 2009.
- [9] K. Hasegawa and H. Akagi, "A new dc-voltage-balancing circuit including a single coupled inductor for a five-level diode-clamped PWM inverter," *IEEE Trans. Ind. Electron.*, Vol. 47, No. 2, pp. 841-852, Feb. 2011.
- [10] Y. Deng, K. H. Teo, C. Duan, T. G. Habetler, and R. G. Harley, "A fast and generalized space vector modulation scheme for multilevel inverters," *IEEE Trans. Power Electron.*, Vol. 29, No. 10, pp. 5204-5217, Oct. 2014.
- [11] M. Arasteh, A. Abrishamifar, and J. Dolatabadi, "Fast SVM for a five level flying capacitor drive with overvoltage reduction," in *proc. 4th IEEE Power Electronics, Drive Systems and Technologies Conference (PEDSTC)*, pp. 188-192, 2013.
- [12] M. Saeedifard, R. Iravani, J. Pou, "Control and DC-capacitor voltage balancing of a space vector-modulated five-level STATCOM," *IET Power Electronics*, Vol. 2, No. 3, pp. 203-215, May 2009.
- [13] M. S. A. Dahidah, G. Konstantinou, and V. G. Agelidis, "A review of multilevel selective harmonic elimination PWM: formulations, solving Algorithms, implementation and applications," *IEEE Trans. Power Electron.*, Vol. 30, No. 8, pp. 4091-4106, Aug. 2015.
- [14] N. Farokhnia, S. H. Fathi, R. Salehi, G. B. Gharehpetian, and M. Ehsani, "Improved selective harmonic elimination pulse-width modulation strategy in multilevel inverters," *IET Power Electronics*, Vol. 5, No. 9, pp. 1904-1911, Nov. 2012.
- [15] C. M. Young and S. F. Wu, "Selective harmonic elimination in multi-level inverter with zig-zag connection transformers," *IET Power Electronics*, Vol. 7, No. 4, pp. 876-885, Apr. 2014.
- [16] M. R. Banaei and P. A. Shayan, "Solution for selective harmonic optimisation in diode-clamped inverters using radial basis function neural networks," *IET Power Electronics*, Vol. 7, No. 7, pp. 1797-1804, Jul. 2014.
- [17] L. Li, D. Czarkowski, Y. Liu, and P. Pillay, "Multilevel selective harmonic elimination PWM technique in series-connected voltage inverters," *IEEE Trans. Ind. Appl.*, Vol. 36, No. 1, pp. 160-170, Jan./Feb. 2000.
- [18] W. Fei, B. Wu, and Y. Huang, "Half-wave symmetry selective harmonic elimination method for multilevel voltage source inverters," *IET Power Electron.*, Vol. 4, No. 3, pp. 342-351, Mar. 2011.
- [19] J. N. Chiasson, L. M. Tolbert, K. J. McKenzie, and Z. Du, "Control of a multilevel converter using resultant theory," *IEEE Trans. Contr. Syst. Technol.*, Vol. 11, No. 3, pp. 345-354, May 2003.
- [20] Z. Du, L. M. Tolbert, J. N. Chiasson, and B. Ozpineci, "Reduced switching-frequency active harmonic elimination for multilevel converters," *IEEE Trans. Ind. Electron.*, Vol. 55, No. 4, pp. 1761-1770, Apr. 2008.
- [21] R. Salehi, N. Farokhnia, M. Abedi, and S. H. Fathi, "Elimination of low order harmonics in multilevel inverter using genetic algorithm," *Journal of Power Electronics*, Vol. 11, No. 2, pp. 132-139, Mar. 2011.
- [22] H. Taghizadeh and M. T. Hagh, "Harmonic elimination of cascade multilevel inverters with nonequal DC sources using particle swarm optimization," *IEEE Trans. Ind. Electron.*, Vol. 57, No. 11, pp. 3678-3684, Nov. 2010.
- [23] K. Shen, D. Zhao, J. Mei, L. M. Tolbert, J. Wang, M. Ban, Y. Ji, and X. Cai, "Elimination of harmonics in a modular multilevel converter using particle swarm optimization-based staircase modulation strategy," *IEEE Trans. Ind. Electron.*, Vol. 61, No. 10, pp. 5311-5322, Oct. 2014.
- [24] A. Kavousi, B. Vahidi, R. Salehi, M. Bakhshizadeh, N. Farokhnia, and S. S. Fathi, "Application of the bee algorithm for selective harmonic elimination strategy in multilevel inverters," *IEEE Trans. Power Electron.*, Vol. 27, No. 4, pp. 1689-1696, Apr. 2012.
- [25] M. H. Etesami, N. Farokhnia, and S. H. Fathi, "Colonial competitive algorithm development toward harmonic minimization in multilevel inverters," *IEEE Trans. Ind. Informat.*, Vol. 11, No. 2, pp. 459-466, 2015.
- [26] C. Buccella, C. Cecati, M. G. Cimoroni, and K. Razi, "Analytical method for pattern generation in five levels cascaded H-bridge inverter using selective harmonics elimination," *IEEE Trans. Ind. Electron.*, Vol. 61, No. 11, pp. 5811-5819, Nov. 2014.
- [27] A. Abrishamifar, M. Arasteh, and F. Golshan, "A novel method for real-time selective harmonic elimination in five-level converters," in *Proc. 7th IEEE Power Electronics, Drive Systems and Technologies Conference (PEDSTC)*, 2016.



Farzad Golshan was born in Tehran, Iran, in 1978. He received his B.S. degree in Electronics Engineering from the University of Tehran, Tehran, Iran, in 2001; and his M.S. degree in Electronics Engineering from the Iran University of Science and Technology (IUST), Tehran, Iran, in 2004, where he is presently working towards his Ph.D. degree in Power Electronics. His current research interests include multi-level converters, modulation techniques, and motor drives.



Adib Abrishamifar was born in Tehran, Iran, in 1967. He received his B.S., M.S., and Ph.D. degrees in Electronics from the Iran University of Science and Technology (IUST), Tehran, Iran, in 1989, 1992, and 2001, respectively. Since 1993, he has been with the Department of Electrical Engineering, IUST. His current research interests include analog integrated circuit design and power electronics.



Mohammad Arasteh was born in Tehran, Iran, in 1968. He received his B.S. degree in Electronics Engineering from the Iran University of Science and Technology (IUST), Tehran, Iran, in 1992; his M.S. degree in Electronics Engineering from the University of Tehran, Tehran, Iran, in 1995; and his Ph.D. degree in Power Electronics from IUST, in 2012. His current research interest include microcontroller-based system designs, motor drives and control, multilevel inverters, SMPS and power quality.